



PRODUCT-DETAILS

UPS PowerValue 11RT G2 10 kVA

UPS PowerValue 11RT G2 10 kVA



General Information	
Extended Product Type	UPS PowerValue 11RT G2 10 kVA
Product ID	4NWP100151R0001
EAN	7640169261831
Catalog Description	UPS PowerValue 11RT G2 10 kVA
Long Description	VFI online double conversion;10000W;0min(long backup);RS232;USB;COM slot

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	4NWD004620
RoHS Information	4NWD004828
RoHS Status	Following EU Directive 2011/65/EU
SCIP	37726a6f-464f-434c-9772-44d032efdb6e Switzerland (CH)
Simplified SCIP	799601fd-697c-488b-8716-623b6ddce152 Poland (PL) 69fc6744-1afe-45da-9c4a-8ea1f2ef0c67 Belgium (BE) b916fa0e-6df4-47bb-8474-f153b1a60541 Spain (ES) 97ea4347-c984-46ed-a806-07c0cc33a3fc Greece (GR)

52b54b62-6605-499f-9fde-6210bf0dfd5a Estonia (EE)
21ae9035-648f-46e1-b653-78e6647c216e Finland (FI)
f66ee011-598b-4640-ab0d-7a0d1bf97544 Germany (DE)
5d57227c-ddae-43fc-b62d-74487023d39f Germany (DE)
32f7a950-79a7-409b-9ef4-258df7f6da0f Germany (DE)
92d49e90-b21a-4ea3-83c8-2aee4d13d171 Sweden (SE)
58329ac6-908e-43de-be07-5d61f667fea0 Denmark (DK)
b271da47-9788-458a-8676-c5c0f5170f27 Germany (DE)
dff6361a-8f15-4d9b-b414-a3fc676146ad Belgium (BE)
9f12ce2c-1374-4fc7-b9ae-d0f4cd2ac98f Sweden (SE)
c8572bd8-4edf-4938-be87-6fbcf510533f Portugal (PT)
64f1ea60-73a1-49ca-a7df-7d1b40c2df67 France (FR)
6c611fca-da28-4be9-ac53-0df063f38f50 Poland (PL)
87e9806e-6b1d-4503-a855-1db6be3e5316 Germany (DE)
88418cfc-154b-4ce6-a85a-4130da280b02 Bulgaria (BG)
64cd7a11-cc53-4493-a151-919dbb2bccbc Hungary (HU)
eda56b32-47b9-4cc6-8bca-3983a06bf325 Poland (PL)
777b5b80-a2cd-4813-8041-4cc9e35fe8f2 Netherlands (NL)
46f8bfc3-6819-4a44-af77-e92a0a142feb Czech Republic (CZ)
f460545a-364f-4d72-82cf-b1808ad0474a Croatia (HR)
f4c979c0-f81c-442d-a22e-b52c5d7d3322 Hungary (HU)
fb11fcf0-e5f9-4536-b634-fe02bb804a74 France (FR)
e41dde30-0812-499f-bae6-0dc05d783629 Norway (NO)

Popular Downloads

Data Sheet, Technical Information	4NWD002979_EN
Instructions and Manuals	4NWD003231_EN

Environmental

Ambient Air Temperature	Storage -15...+60 °C
Environmental Information	No declaration needed

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044000
E-Number (Finland)	8408608
E-Number (Norway)	6600786
Country of Origin	China (CN)

Dimensions

Product Net Width	438 mm
Product Net Height	86.5 mm
Product Net Depth / Length	573 mm
Product Net Weight	15.5 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	586 mm

Package Level 1 Height	238 mm
Package Level 1 Depth / Length	766 mm
Package Level 1 Gross Weight	18.9 kg
Package Level 1 EAN	7640169261831

Technical

Apparent Power Output	10000 V·A
Communication Interface	USB, RS-232
Connection Type	Fixed Connection
Display Type	LCD
Input Voltage (U _{in})	208 V 220 V 230 V 240 V
Input Voltage Type	AC
Number of Outputs	C13 Connection 2 Fixed Connections 1
Number of Phases	Primary - 1 Secondary - 1
Options Provided	Auto shut down function Potential free switch contact Network-management
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	10000 W

Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - CE	4NWD004827

External Classifications and Standards

ETIM 7	EC000382 - UPS
ETIM 8	EC000382 - UPS
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85044000
eClass	V11.1 : 27040690
Object Classification Code	G

Categories

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 RT G2 IEC 230V

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11RT G2 TLC 230V

