



PRODUCT-DETAILS

UPS PowerValue 11T G2 10 kVA B

UPS PowerValue 11T G2 10 kVA B



General Information	
Extended Product Type	UPS PowerValue 11T G2 10 kVA B
Product ID	4NWP100164R0001
EAN	7640169261978
Catalog Description	UPS PowerValue 11T G2 10 kVA B
Long Description	VFI online double conversion;10000W;4min;RS232;USB;COM slot

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	4NWD004620
RoHS Information	4NWD004828
RoHS Status	Following EU Directive 2011/65/EU
SCIP	121f45a5-a7e5-4999-bbb2-d6f59f52ed94 Switzerland (CH)
Simplified SCIP	02e64ec3-11a2-4a3e-9830-64c5b86bae7c Czech Republic (CZ) d53c72b1-a9ee-47d9-a97e-080a38df018f Netherlands (NL) 479965bd-0500-47be-a02f-b0180f21a49f Hungary (HU) 19673bba-6a63-40a0-84c0-5e0f88a9e1a3 Spain (ES)

59ff3d17-40d5-494c-b325-10a67b36a859	France (FR)
761d0ba2-7acf-4a98-9321-3be6c517f378	Hungary (HU)
86dac770-9652-4522-9d15-36890b81ee85	Poland (PL)
e4b63e5c-1c7e-470d-8e79-24ea89bfa308	Belgium (BE)
c23ecc3f-50fe-42ca-b73a-260acf961cba	Germany (DE)
ce497a41-4615-4bdb-8eb1-11720cbbfb4f	Croatia (HR)
a36733d3-f965-4b55-8507-ae24503d7e04	Germany (DE)
4ef1ac90-5d26-48e0-b365-733a6ae265c4	Denmark (DK)
cb018b32-a8c0-437e-bae9-cd0bbbad48e1	Sweden (SE)
13253bd3-595f-48ad-93ab-6dc37e01cb40	Germany (DE)
1bf5458a-321d-4fef-a470-ef15d7e69e85	Belgium (BE)
1b0abc31-a7f9-4ac8-8fe0-a2f5af5aefce	Estonia (EE)
05735287-8927-43cc-9852-a73a6c0adabf	Greece (GR)
b3e502e4-1607-47f3-bf78-3dd045ff3a97	Norway (NO)
a7444932-87a8-4869-a13f-0c0e4f71e128	Poland (PL)
fab6664e-5be3-4785-ba5d-4fa0c650fcaf	France (FR)
9575eeef-d649-4be6-80ec-4bee6f3b7a39	Sweden (SE)
131fc9f9-0b53-45cf-89e7-0b91255c1512	Bulgaria (BG)
14c335bc-3682-4b99-8adc-d2f7e0c7a3b5	Germany (DE)
fe72b0bc-0ee7-408f-a5f2-bf33e327c367	Finland (FI)
d7a1f0f4-7cb3-47d4-a612-74e9867756da	Germany (DE)
5eb3d0e5-60c8-4639-a791-f89ad7e31148	Portugal (PT)
50d6dee6-692e-44ec-8694-f2d00dac8d55	Poland (PL)

Popular Downloads

Data Sheet, Technical Information	4NWD003884_EN
Instructions and Manuals	4NWD003884_EN

Environmental

Ambient Air Temperature	Storage -25...+60 °C
Environmental Information	No declaration needed

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85044000
E-Number (Norway)	6609417
E-Number (Sweden)	5257254
Country of Origin	China (CN)

Dimensions

Product Net Width	225 mm
Product Net Height	589 mm
Product Net Depth / Length	390 mm
Product Net Weight	53.2 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	397 mm

Package Level 1 Height	730 mm
Package Level 1 Depth / Length	488 mm
Package Level 1 Gross Weight	63.8 kg
Package Level 1 EAN	7640169261978

Technical

Apparent Power Output	10000 V-A
Battery Chemical Composition	Lead-Acid
Battery Type	Portable
Battery Weight	2.5 kg
Communication Interface	USB, RS-232
Connection Type	Fixed Connection
Display Type	LCD
Input Voltage (U _{in})	208 V 220 V 230 V 240 V
Input Voltage Type	AC
Number of Batteries	4
Number of Outputs	Fixed Connections 1
Number of Phases	Primary - 1 Secondary - 1
Options Provided	Auto shut down function Potential free switch contact Network-management
Rated Frequency (f)	Primary 50 Hz Primary 60 Hz Secondary 50 Hz Secondary 60 Hz
Rated Output Power	10000 W

Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - CE	4NWD004828

External Classifications and Standards

ETIM 7	EC000382 - UPS
ETIM 8	EC000382 - UPS
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85044000
eClass	V11.1 : 27040690
Object Classification Code	G

Categories

UPS, Power Conditioning and Power Distribution → UPS → Single-Phase UPS → PowerValue 11 T G2 IEC 230V

